

Unintentional and Undetermined Poisoning Deaths, by County and Public Health District, Maine, 2005-2009

Geographic Location	Average Annual Number	Crude Rate		Age-adjusted Rate	
		Rate	95% CI	Rate	95% CI
Total	150	11.4	10.6 - 12.2	11.4	10.6 - 12.3
County					
Androscoggin	12	11.0	8.4 - 14.2	10.7	8.1 - 13.8
Aroostook	6	8.6	5.8 - 12.2	8.6	5.7 - 12.3
Cumberland	33	12.0	10.3 - 14.0	11.7	9.9 - 13.6
Franklin	2	6.0*	2.8 - 11.4	6.7*	3.0 - 12.6
Hancock	6	11.2	7.6 - 16.0	11.9	7.9 - 17.0
Kennebec	15	12.1	9.5 - 15.2	11.9	9.3 - 15.1
Knox	6	14.7	9.9 - 20.9	16.6	11.1 - 23.7
Lincoln	3	9.2*	5.2 - 14.9	10.0*	5.6 - 16.4
Oxford	6	10.9	7.4 - 15.5	11.5	7.8 - 16.4
Penobscot	21	13.9	11.3 - 16.9	14.3	11.6 - 17.3
Piscataquis	2	9.3*	4.0 - 18.3	10.2*	4.3 - 20.3
Sagadahoc	3	7.7*	4.2 - 12.8	8.3*	4.5 - 13.9
Somerset	5	9.7	6.3 - 14.3	9.6	6.1 - 14.2
Waldo	3	8.8*	5.1 - 14.1	8.5*	4.9 - 13.7
Washington	5	16.5	10.8 - 23.9	17.2	11.2 - 25.2
York	22	11.1	9.1 - 13.4	11.0	9.0 - 13.3
Public Health District					
Aroostook	6	8.6	5.8 - 12.2	8.6	5.7 - 12.3
Central	20	11.4	9.2 - 13.8	11.3	9.1 - 13.8
Cumberland	33	12.0	10.3 - 14.0	11.7	9.9 - 13.6
Downeast	11	13.2	10.0 - 17.1	13.9	10.4 - 18.0
Midcoast	15	10.2	8.1 - 12.8	10.9	8.5 - 13.6
Penquis	22	13.4	11.0 - 16.2	13.9	11.4 - 16.7
Western	20	10.2	8.3 - 12.4	10.2	8.3 - 12.4
York	22	11.1	9.1 - 13.4	11.0	9.0 - 13.3

Data Source: Maine Mortality Database; Data, Research, and Vital Records Program, Maine CDC.

Unintentional and undetermined poisoning deaths are defined as death of a Maine resident for which the underlying cause of death is coded as X40-X49 or Y10-Y19.

Crude rates are deaths per 100,000 population.

Age-adjusted rates are deaths per 100,000 population age-adjusted to the U.S. 2000 standard population.

95% CI: 95% confidence interval of the rate.

*Rates are flagged as unreliable when the rate is calculated with a numerator of 20 or less.